


# THE KLAMATH TRIBES



## INVITATION

FOR

BID

## ADDENDUM #1

**HWY 97 BACKBONE RD PROJECT**

**IFB 06-25**

SCOPE OF WORK/BID FORM CORRECTION

CLOSES: 4:00 PM APRIL 28, 2025

**The Klamath Tribes is issuing Addendum #1 to correct quantities and correct bid items on the Bid Form/Scope of Work.**

---

Corrections assessed and confirmed by Red Plains Professional, Inc.

1. The paving tonnage, tack coat, and grind quantities have been updated to reflect the grind and inlay.

<b>Item No.</b>	<b>ODOT STD. ITEM NO.</b>	<b>Item Description</b>	<b>Quantity</b>	<b>Unit</b>
<b>29</b>	0730-0100000M	EMULSIFIED ASPHALT FOR TACK COAT	18	TON
<b>30</b>	0745-0202000M	LEVEL 2, ½ INCH ACP	7,017	TON
<b>47</b>	0620-0113000J	COLD PLANE PAVEMENT REMOVAL, 206 INCHES DEEP	18,216	SQYD

2. **TYPO:** Bid Item No. 30 incorrectly stated Level 4 ACP. It is now corrected to **Level 2 ACP**, to match the plans and Geotech Reports. See above.

## Bid Form

Item #	Description of Item	Unit	Quantity	Unit Cost	Total Cost
1	QUALITY CONTROL PLAN	LS	1		
2	MOBILIZATION	LS	1		
3	WORK ZONE TRAFFIC CONTROL, COMPLETE	LS	1		
4	STRIPE REMOVAL	FOOT	1,419		
5	LEGEND REMOVAL	SQFT	44		
6	EROSION CONTROL	LS	1		
7	CONSTRUCTION SURVEY WORK	LS	1		
8	REMOVAL OF CURBS	FOOT	2,426		
9	REMOVAL OF WALKS AND DRIVEWAYS	SQYD	284		
10	REMOVAL OF SURFACINGS	SQYD	17,338		
11	REMOVAL OF BOLLARDS	EACH	13		
12	ASPHALT PAVEMENT SAW CUTTING	FOOT	1,106		
13	CLEARING AND GRUBBING	ACRES	3		
14	BORROW EXCAVATION	CUYD	9,747		
15	EMBANKMENT IN PLACE	CUYD	8,641		
16	SUBGRADE REINFORCEMENT GEOGRID	SQYD	2,626		
17	LOOSE RIPRAP, CLASS 50	CUYD	1		
18	4 INCH DRAIN PIPE	FOOT	13		
19	12 INCH STORM SEWER PIPE, 5 FT DEPTH	FOOT	380		
20	CONCRETE INLETS, TYPE CG-1	EACH	2		
21	CATCH BASIN, FIELD INLET	EACH	2		
22	ADJUSTING CATCH BASINS	EACH	18		
23	CONNECTION TO EXISTING STRUCTURES	EACH	1		
24	STRUCTURE EXCAVATION	CUYD	265		
25	PVC CONDUIT SYSTEM, 2 INCH DIAMTER	FOOT	866		
26	PVC CONDUIT SYSTEM, 4 INCH DIAMTER	FOOT	866		
27	WALKABLE SIDEWALK GRATES	FOOT	32		
28	AGGREGATE BASE	TON	7,970		
29	EMULSIFIED ASPHALT FOR TACK COAT	TON	18		
30	LEVEL 2, 1/2 INCH ACP	TON	7,017		
31	CONCRETE CURBS, CURB AND GUTTER	FOOT	7,819		
32	VALLEY GUTTER CONCRETE SURFACING	SQFT	1,107		
33	CONCRETE WALKS	SQFT	16,877		
34	CONCRETE DRIVEWAYS	SQFT	800		
35	EXTRA FOR NEW CURB RAMPS	EACH	11		
36	TRUNCATED DOMES ON NEW SURFACES	SQFT	264		
37	CONCRETE WHEELSTOPS	EACH	35		
38	BOLLARDS	EACH	20		
39	LONGITUDINAL PAVEMENT MARKINGS - PAINT	FOOT	11,981		
40	PAVEMENT BAR: TYPE AB	SQFT	312		
41	PAVEMENT LEGEND, TYPE B-HS: ARROWS	EACH	23		
42	PAVEMENT LEGEND, TYPE B-HS: DISABLED PARKING	EACH	17		
43	REMOVE EXISTING SIGNS	LS	1		
44	PERFORATED STEEL SQUARE TUBE ANCHOR SIGN SUPPORTS	LBS	320		
45	SIGNS, STANDARD SHEETING, SHEET ALUMINUM	SQFT	65		
46	CUSTOM DIRECTORY SIGNAGE	LS	1		
47	COLD PLANE PAVEMENT REMOVAL, 2 - 6 INCHES DEEP	SQYD	18216		
<b>TOTAL FIRM FIXED PRICE BID</b>					